



Round Metal Project Shower Rail 4 Star Rating

Nero



Versions:202311

Drawing



Specifications

SKU

NR319

Watermark License

WM-060093

Temperature Rating

Min 1°C-Max 75°C

Pressure Rating

Min 150kpa - Max 500kpa

Finish

Chrome
NR319CH

Gun Metal
NR319GM

Brushed Nickel
NR319BN









Matte Black
NR319MB

Brushed Gold
NR319BG

Packaging Includes

1x Handle Shower (Built-In Check Valve)
1x Shower Hose
1x Elbow
1x Shower Rail

*Dimensions are nominal measurements only.

<p>use Teflon tape</p>  <p>1. Put Teflon tape on outlet thread.</p>	 <p>4. Drill two $\phi 6$mm holes according to above picture.</p>	  <p>5. Mount bottom bracket on the $\phi 6$ hole by expansion plug and tapping screw.</p>
 <p>2. Pull dressing ring on the elbow body.</p>		 <p>3. Screw elbow body on to outlet.</p>
 <p>7. Connect hand shower with outlet by shower hose</p>	 <p>8. Test for leaks.</p>	

Nero

info@nerotapware.com.au
nerotapware.com.au

11-13 Buontempo Road
Carrum Downs Vic 3201

