

# **Giorgia Pressed Metal Bath**


# **Installation Instructions and Warranty Information**


## **Please Read Carefully before Installation**

- Please check the surface of the bath PRIOR to installation
- Installation of any Decina product should be carried out by a QUALIFIED Licensed Plumber only.

Congratulations on your purchase of this high quality Decina pressed metal bath

### **Dimensional Drawings**






### **Handling**

Please note that this product has been through our rigid quality control procedures which include visual inspection under bright lights. For your peace of mind, please un-wrap the bath and check carefully to ensure it has not been damaged in handling or transport which is beyond our control.




# Installation against one, two or three walls

Every Decina pressed metal bath is supplied with Decina's unique "Tiling bead", (Fig 1) and so there is no need to check the bath into the wall. Simply notch the tiling bead in line with the corners of the bath on the sides which will be against the wall or walls and fix to the bath by applying silicone on the inside of the bead and clip it in place on the relevant sides of the bath. Hold the ends in place with a small piece of adhesive tape while the slicone sets.



### Fitting the tiling bead

- 1. Clip the tiling bead onto the side of the bath, with the end in line with the face which will not be against the wall. (Fig 2)
- 2. Mark a line level on the bead in line with the the corner of the bath, where you want to make a bend. (Fig 3)
- 3. Unclip the bead, and Insert the notching gauge at the line and using side cutters, clip a 45° angled corner out of both top and bottom. (Fig 4)
- 4. Bend the tiling bead through 90° and repeat for the next corner
- 5. Once all corners have been notched, run a bead of silicon into the top and bottom corner of the tiling bead and clip onto all relevant sides of the bath.









Fig 4




NOTE:

Where the bath abuts the wall, or walls, while using the Decina tiling bead, there is no need to check the bath into the wall.

- 1. Install a waste pipe in accordance with the set-out diagram according to your bath size
- 2. Fix a batten to the wall(walls) as detailed in Fig 5. Where the bath does not touch a wall it should be supported by a dwarf wall built in masonry or wood.

# Installation away from the wall or as an island bath



2. Build a suitable dwarf wall in masonry, steel or wood to support the bath and to fix the tiles.

according to your bath size

1. Install a waste pipe in accordance with the set-out diagram



### Cleaning, care and maintenance

This product should be cleaned with warm soapy water. Do not use abrasive materials such as steel wool or scourers. Do not use any abrasive cleaning agents containing acids or scouring agents. Bleach may also discolour products and should also not be used. Any improper treatment will void warranty.

#### **DECINA PRODUCT QUALITY GUARANTEE**

Be assured you have purchased a quality product from Decina. This product carries a 1 year warranty on Manufacture and Materials.

### **Warranty Conditions**

The 1 year warranty only applies under the following conditions:

- The item has been installed by a licensed plumber and the installer's contact details are provided.
- Faults or defects are, only, due to faulty manufacturing or materials.
- Original proof of purchase (including the date of purchase) is provided.
- The product has been installed by following the instructions provided.

#### **Exclusions**

Decina excludes all liability within the law, for damage or injury to any person, damage to any property, and any indirect consequential or other loss or damage.

#### Note:

These installation, care and maintenance instructions are not exhaustive so if in any doubt please contact your nearest Decina Customer Service Representatives, using the contact details below.

#### **Decina contact information**

State:	QLD	<b>NSW/ATC</b>	VIC/TAS	WA	SA
Phone number:	07 32721944	02 96215088	03 97683768	08 94344466	08 83267638
Fax number:	07 38794244	02 88149898	03 97683769	08 94342224	08 81860699